

CALICE UK Meeting April 2008

Analysis of pion showers in the ECAL from
CERN Oct 2006 Data
– Status report –

Takuma Goto
University of Cambridge

Summary of data

- Reconstructed data

Run300588 6GeV pi+

Run300669 6GeV pi-

Run300667 10GeV pi-

Run300666 12GeV pi-

Run300586 20GeV pi+

Run300696 30GeV pi+

Run300698 50GeV pi+

Run300694 80GeV pi+

- GEANT4 simulations

Mokka version 6.3 p02 with physics lists...

LCPhys QGSP

QGSC QGSP_BIC

QGSC_LEAD QGSP_EMV

FTFC QGSP_BERT

LHEP QGSP_BERT_HP

LHEP_BERT QGSP_HP

Overview of GEANT4 simulations

- QGSP
 - Quark Gluon-String with Precompound
 - Precompound (P) calls nuclear de-excitation routine
 - 12GeV – 50TeV (QGS)
- EMV
 - V7.1 EM processing
 - Revised EM multiple scattering
- BIC
 - Binary Cascade
 - Based on 2->2 or 2->1 interactions
 - Up to ~10GeV
- BERT
 - BERTini cascade
 - Unique evaporation model to de-excite the remnant nucleus
 - Up to ~10GeV



Overview of GEANT4 simulations

- HP
 - High Precision neutron
 - Allows precise transportation of neutrons
- LCPhys
 - Linear Collider Physics list by Dennis Wright (SLAC)
 - “best-guess selection of EM and hadronic physics processes for LC detector”
- QGSC
 - QGS with CHIPS
 - CHIPS provide photo-nuclear and EM-nuclear interaction processes
 - CHIPS alternative to Precompound method
- LEAD
 - LEADING particle biasing
 -



Overview of GEANT4 simulations

- LHEP
 - Low and High Energy Parametrized
 - Fast, parametrized model based on GHEISHA
 - Average Energy and Momentum are well described (conserved)
- FTFC
 - FriTjoF with CHIPS
 - Fritjof model is the diffractive string excitation model, offers an alternative to QGS

Beam Shape and Position




12GeV



30GeV


Event Selection – Muon rejection



Low energy events are rejected to eliminate events which did not interact with ECAL (mainly muons).


Event Selection – Electron rejection

E Ecal (0-10)+2.*(11-20)+3.*(21-30) /mips



Before the Cut

E Ecal (0-10)+2.*(11-20)+3.*(21-30) /mips




After the Cut

Events with Cherenkov radiation, which are set to distinguish electrons from rest of the beam, are eliminated.


LHEP, QGSP_BERT vs Energy

Total Energy Dissipated on ECAL


Run300588, 6GeV pi+




Run300669, 6GeV pi-




Run300667, 10GeV pi-




Run300666, 12GeV pi-




Run300586, 20GeV pi+




Run300696, 30GeV pi+



Run300698, 50GeV pi+




Run300694, 80GeV pi+




LHEP, QGSP_BERT vs Energy

Longitudinal Energy Distribution


Run300588, 6GeV pi+




Run300669, 6GeV pi-




Run300667, 10GeV pi-




Run300666, 12GeV pi-




Run300586, 20GeV pi+




Run300696, 30GeV pi+



Run300698, 50GeV pi+




Run300694, 80GeV pi+




LHEP, QGSP_BERT vs Energy

Transverse Energy Distribution


Run300588, 6GeV pi+




Run300669, 6GeV pi-




Run300667, 10GeV pi-




Run300666, 12GeV pi-




Run300586, 20GeV pi+




Run300696, 30GeV pi+



Run300698, 50GeV pi+




Run300694, 80GeV pi+



First interaction layer – Algorithm

Aim : To test the cross-section for primary interaction




Identify the first layer which 3 layers out of 4 consecutive layers >10MIPs


LHEP, QGSP_BERT vs Energy

First interaction layer


Run300588, 6GeV pi+




Run3005669 6GeV pi-




Run300667, 10GeV pi-




Run300666, 12GeV pi-




Run300586, 20GeV pi+




Run300696, 30GeV pi+



Run300698, 50GeV pi+




Run300694, 80GeV pi+




LHEP, QGSP_BERT vs Energy

Shower Energy – First 5 layers after 1st interaction


Run300588, 6GeV pi+




Run300669, 6GeV pi-




Run300667, 10GeV pi-




Run300666, 12GeV pi-




Run300586, 20GeV pi+




Run300696, 30GeV pi+



Run300698, 50GeV pi+




Run300694, 80GeV pi+




Run300696 (30GeV) vs Simulations

Total Energy Dissipated on ECAL


QGSP




QGSP_BIC




QGSP_EMV




QGSP_BERT



QGSP_BERT_HP




QGSP_HP




Run300696 (30GeV) vs Simulations

Total Energy Dissipated on ECAL


LCPhys




QGSC




QGSC_LEAD




FTFC



LHEP




LHEP_BERT




Run300696 vs Simulations

Longitudinal Energy Distribution


QGSP




QGSP_BIC




QGSP_EMV




QGSP_BERT



QGSP_BERT_HP




QGSP_HP




Run300696 vs Simulations

Longitudinal Energy Distribution


LCPhys




QGSC




QGSC_LEAD




FTFC



LHEP




LHEP_BERT




Run300696 vs Simulations

Transverse Energy Distribution


QGSP




QGSP_BIC




QGSP_EMV




QGSP_BERT



QGSP_BERT_HP




QGSP_HP




Run300696 vs Simulations

Transverse Energy Distribution


LCPhys




QGSC




QGSC_LEAD




FTFC



LHEP




LHEP_BERT




Run300696 vs Simulations

First interaction layer


QGSP




QGSP_BIC




QGSP_EMV




QGSP_BERT



QGSP_BERT_HP




QGSP_HP




Run300696 vs Simulations

First interaction layer


LCPhys




QGSC




QGSC_LEAD




FTFC



LHEP




LHEP_BERT




Run300696 vs Simulations

Shower Energy – first 5 layers


QGSP




QGSP_BIC




QGSP_EMV




QGSP_BERT



QGSP_BERT_HP




QGSP_HP




Run300696 vs Simulations

Shower Energy – first 5 layers


LCPhys




QGSC




QGSC_LEAD




FTFC



LHEP



LHEP_BERT



Summary

- Studied energy dependence of LHEP and QGSP_BERT from 6GeV to 80GeV
- Studied 12 different physics lists at Energy 30GeV
- ECAL certainly proved some discrimination between hadronic models.
- A lot more work needs to be done to understand the results.

THE END