

Initial Efficiency Readings and Chi Squared Plots

Owen Miller



Efficiencies in Sensors 32 and 26

Run Number	Sensor 32 Efficiency %		Sensor 26 Efficiency %	
447659	0 ±	0 -	±	-
447660	0 ±	0	30.56 ±	4.24
447661	18.18 ±	1.03	47.39 ±	2.17
447662	37.3 ±	1.53	59.63 ±	1.94
447663	56.83 ±	1.48	73.77 ±	1.5
447664	64.13 ±	1.48	66.37 ±	1.48
447665	67.62 ±	1.39	67.98 ±	1.37
447666	62.97 ±	1.75	66.32 ±	1.76



Efficiencies in Sensors 39 and 21

Run Number	Sensor 39 Efficiency %		Sensor 21 Efficiency %	
447790	0.14 ±	0	1.89 ±	0.05
447791	67.14 ±	0.99	64.19 ±	0.98
447792	68.86 ±	0.99	62.49 ±	0.99
447793	72.27 ±	0.98	57.04 ±	0.96
447794	76.22 ±	0.99	42.21 ±	0.85
447795	76.61 ±	1.75	42.79 ±	1.51
447796	67.72 ±	1.07	61.78 ±	1.06
447797	70.11 ±	1.13	61.8 ±	1.14



Chi Squared Plots for Run 447659





Chi Squared Plots for Run 447660





Chi Squared Plots for Run 447661





Chi Squared Plots for Run 447662





Chi Squared Plots for Run 447663





Chi Squared Plots for Run 447664





Chi Squared Plots for Run 44665





Chi Squared Plots for Run 447666





Chi Squared Plots for Run 447790





Chi Squared Plots for Run 447791





Chi Squared Plots for Run 447792





Chi Squared Plots for Run 447793





Chi Squared Plots for Run 447794





Chi Squared Plots for Run 447795



Chi Squared Plots for Run 447796




Chi Squared Plots for Run 447797




Position Offsetting


Sensor 39



Sensor 21



Sensor 32



Sensor 26

